

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

1. (Currently Amended) An insulated refrigeration panel assembly comprising:
  - a first skin;
  - a second skin spaced generally parallel to said first skin;
  - a first insulating body sandwiched between said first skin and said second skin, said first skin, said second skin and said first insulating body forming a first panel unit;
  - a first flexible snap fit connector ~~for flexibly engaging~~ arranged to engage a first mating connector along a first direction, said first flexible snap fit connector attached to said first panel unit; and
  - a second flexible snap fit connector ~~for flexibly engaging~~ arranged to engage a second mating connector along a second direction transverse to said first direction, said second flexible snap fit connector attached to said first panel unit wherein said first flexible snap fit connector and said second flexible snap fit connector comprise at least one of said first skin, said second skin, and said first insulating body.
2. (Cancelled)
3. (Original) The insulated refrigeration panel assembly of Claim 1 wherein said first mating connector comprises a second insulating body.

4. (Original) The insulated refrigeration panel assembly of Claim 3 wherein said second insulating body has a first end portion and a second end portion, said first end portion comprising said first mating connector and said second end portion comprising a third mating connector.
5. (Original) The insulated refrigeration panel assembly of Claim 3 including a flange attached to said second insulating body, said flange having a first portion for receiving said first panel unit and a second portion for covering a joint.
6. (Original) The insulated refrigeration panel assembly of Claim 5 wherein said second portion is curved.
7. (Original) The insulated refrigeration panel assembly of Claim 1 including a second panel unit comprising said first mating connector, a third skin, a fourth skin and a second insulating body, said third skin spaced generally parallel to said fourth skin and said second insulating body sandwiched between said third skin and said fourth skin.
8. (Original) The insulated refrigeration panel assembly of Claim 7 wherein said first mating connector comprises at least one of said third skin, said fourth skin and said second insulating body.

9. (Original) The insulated refrigeration panel assembly of Claim 1 wherein said first direction is a vertical direction and said second direction is a horizontal direction.

10. (Currently Amended) The insulated refrigeration panel assembly of Claim 1 wherein said first panel unit comprises a first body and a second body, said first body defining a first part of said first flexible snap fit connector and said second body defining a second part of said second-first flexible snap fit connector, said first body separable from said second body.

11. (Currently Amended) The insulated refrigeration panel assembly of Claim 1 wherein said first flexible snap fit connector comprises a female member and said first mating connector comprises a male member insertable into said female member.

12. (Original) The insulated refrigeration panel assembly of Claim 11 wherein said female member flexes between a first female member dimension larger than a second female member dimension to receive said male member, said male member engaged to said female member in said second female member dimension.

13. (Currently Amended) An insulated refrigeration panel assembly, comprising:
- a first panel unit comprising a first skin, a second skin spaced generally parallel to said first skin, and a first insulating body sandwiched between said first skin and said second skin;
- a second panel unit comprising a third skin, a fourth skin spaced generally parallel to said third skin and a second insulating body sandwiched between said third skin and said fourth skin;
- a third panel unit comprising a fifth skin, a sixth skin spaced generally parallel to said fifth skin and a third insulating body sandwiched between said fifth skin and said sixth skin;
- wherein said first panel unit comprises a first flexible snap fit connector and said second panel unit comprises a first mating connector, said first flexible snap fit connector ~~for flexibly~~ engaging said first mating connector along a first direction; and
- wherein said first panel unit comprises a second flexible snap fit connector and said third panel unit comprises a second mating connector, said second flexible snap fit connector ~~for flexibly~~ engaging said second mating connector along a second direction transverse to said first direction.

14. (Currently Amended) The insulated refrigeration panel assembly of Claim 13 wherein said first flexible snap fit connector and said second flexible snap fit connector comprise at least one of said first skin, said second skin, and said first insulating body.

15. (Currently Amended) The insulated refrigeration panel assembly of Claim 14 wherein said second mating connector comprises at least one of said ~~third-fifth~~ skin, said ~~fourth-sixth~~ skin, and said ~~second-third~~ insulating body, ~~and said third mating connector comprises at least one of said fifth skin, said sixth skin, and said third insulating body.~~

16. (Original) The insulated refrigeration panel assembly of Claim 13 wherein said second insulating body has a first end portion and a second end portion, said first end portion comprising said first mating connector and said second end portion comprising a third mating connector.

17. (Currently Amended) The insulated refrigeration panel assembly of Claim 13 An insulated refrigeration panel assembly, comprising:

a first panel unit comprising a first skin, a second skin spaced generally parallel to said first skin, and a first insulating body sandwiched between said first skin and said second skin;

a second panel unit comprising a third skin, a fourth skin spaced generally parallel to said third skin and a second insulating body sandwiched between said third skin and said fourth skin;

a third panel unit comprising a fifth skin, a sixth skin spaced generally parallel to said fifth skin and a third insulating body sandwiched between said fifth skin and said sixth skin;

wherein said first panel unit comprises a first snap fit connector and said second panel unit comprises a first mating connector, said first snap fit connector for flexibly engaging said first mating connector along a first direction;

wherein said first panel unit comprises a second snap fit connector and said third panel unit comprises a second mating connector, said second snap fit connector for flexibly engaging said second mating connector along a second direction transverse to said first direction ;and

wherein said first panel unit and said second panel unit form a seam, said seam covered by a curved flange supported by said first panel unit.

18. (Original) The insulated refrigeration panel assembly of Claim 13 wherein said first direction is a vertical direction and said second direction is a horizontal direction.

19. (Currently Amended) The insulated refrigeration panel assembly of Claim 13 wherein said first panel unit comprises a first body and a second body, said first portion body defining a first part of said first flexible snap fit connector and said second portion body defining a second part of said second first flexible snap fit connector.

20. (Currently Amended) An insulated refrigeration panel assembly comprising:  
at least one skin;  
an insulating body spaced next to said at least one skin, said insulating body extending generally parallel along a first axis; and  
a flexible snap fit connector for flexibly engaging arranged to engage a mating connector along a second axis transverse to said first axis, said snap fit connector comprising said at least one skin and said insulating body.

21. (New) The insulated refrigeration panel assembly of Claim 1 wherein said first snap fit connector flexibly engages said first mating connector along said first direction and said second snap fit connector flexibly engages said second mating connector along said second direction.

22. (New) The insulated refrigeration panel assembly of Claim 20 wherein said insulating body comprises a foam.